

# HIV

Proponent / Phone No. MEDDAC

Point of Contact: \_\_\_\_\_

Unit Inspected: \_\_\_\_\_

Date of Inspection: \_\_\_\_\_

Unit Representative: \_\_\_\_\_

Unit Phone No.: \_\_\_\_\_

Inspector's Name: \_\_\_\_\_

Inspector's Phone No.: \_\_\_\_\_

Unit Overall Rating: T P U

REFERENCES: a. AR 600-110, Jul 05, b. AR 40-5, Jul 2005.

STANDARDS: "T"= 90% success rate of evaluated tasks with no failed critical tasks. "P"= 70% success rate of evaluated tasks with no failed critical tasks. "U"= less than 70% success rate of evaluated tasks or one failed critical task.

INSPECTION CRITERIA:	LEVEL	GO	NO GO	REMARKS
1. Does the company have the most current publications?	BN			
2. Does the company use MEDPROS as a monitoring program for HIV testing? (AR 600-110, Para 2-7)	BN			
3. <b>CRITICAL:</b> Have 90% (FORSCOM) or 80% (TRADOC) of personnel in the company received HIV testing within the past 24 months? (AR 600-110, Para 2-7)	BN			
4. <b>CRITICAL:</b> Have 90% (FORSCOM) or 80% (TRADOC) of personnel attended annual HIV training? (AR 600-110, Para 8-5, AR 40-5, 2-28 & 2-29)	BN			
REMARKS:				